


certifications


ULC-S610:2018 & UL 127 - 9th Edition
 EPA Non applicable aux foyers aux bois
 EPA Not applicable for decorative wood
 burning fireplaces

Pour l'installation de l'appareil, se référer à la notice.
 For the unit installation, refer to the manual.


vue de face | front view




vue de côté | side view



vue de dessous | bottom view



vue de dessus | top view




certifications

ULC-S610:2018 & UL 127 - 9th Edition
EPA Non applicable aux foyers aux bois
EPA Not applicable for decorative wood
burning fireplaces


Pour l'installation de l'appareil, se référer à la notice.
For the unit installation, refer to the manual.

			85	95	125
[A]	largeur caisson	shell width	40"	43 ⁷ / ₈ "	55 ³ / ₄ "
[B]	hauteur caisson	shell height	59 ¹ / ₈ "	63 ¹ / ₂ "	59"
[C]	hauteur plaque d'ancrage	ancor plate height	51 ³ / ₄ "	56 ¹ / ₄ "	51 ⁷ / ₈ "
[D]	largeur ouverture	opening width	30 ³ / ₄ "	34 ⁷ / ₈ "	46 ¹ / ₂ "
[E]	hauteur ouverture	opening height	23 ³ / ₄ "	26 ¹⁵ / ₁₆ "	23 ³ / ₄ "
[F]	largeur vitre	glass width	26 ¹ / ₂ "	30 ³ / ₈ "	42 ¹ / ₈ "
[G]	hauteur vitre	glass height	21 ¹ / ₁₆ "	24 ¹ / ₄ "	21 ¹ / ₁₆ "
[H]	distance entrée sortie air	inlet outlet distance	32 ¹ / ₈ "	36 ⁵ / ₈ "	32 ³ / ₈ "
[i]	diamètre cheminée	chimney diameter	Ø 10"	Ø 12"	Ø 12"
[J]	distance sortie air dessus	distance top air outlet	6 ⁷ / ₈ "	6 ⁷ / ₈ "	7 ⁷ / ₈ "
[K]	largeur cheminée	chimney width	19 ⁷ / ₈ "	21 ⁷ / ₈ "	27 ³ / ₄ "
[L]	dist. côté sortie air dessus	side dist. top air outlet	7 ¹ / ₄ "	7 ¹ / ₄ "	8"
[M]	distance sortie air dessus	distance top air outlet	25 ¹ / ₈ "	30"	39 ³ / ₈ "
N]	dist. côté entrée air dessous	side dist. below air inlet	16 ¹ / ₂ "	18 ¹ / ₂ "	24 ³ / ₈ "


emplacement | location




protection de sol | hearth extension



structure | framing



dégagements | clearances



cheminée | chimney

